

-117-

## CLAIMS

1. An electronic apparatus for executing an operation using an application, comprising:

5 communicating means for communicating with an external apparatus via a communication line; and

controlling means for executing an operation using an application within the external apparatus by communicating with the external apparatus by the communicating means .

10

2. The electronic apparatus as claimed in claim 1, further comprising:

device start notification sending means for sending a start notification of the electronic apparatus to the external  
15 apparatus by the communicating means; and

application information registering means for registering information related to a usable application that is added to an application usability notification, when the application usability notification from the external application is  
20 received by the communicating means in response to the start notification sent by the device start notification sending means .

3. The electronic apparatus as claimed in claim 2, wherein the device start notification sending means sends the  
25

-118-

start notification to the external apparatus when a power of the electronic apparatus is turned ON.

4. The electronic apparatus as claimed in claim 1,  
5 wherein the controlling means executes the operation when an operation execution request that requests execution of the operation using the application within the external apparatus is received from the external apparatus by the communicating means .

10

5. The electronic apparatus as claimed in claim 4, further comprising:

15 authenticating means for carrying out an authentication process to confirm validity of the operation execution request when the communicating means receives the operation execution request from the external apparatus; and

operation execution permitting means for permitting execution of the operation if the authenticating means confirms that the operation execution request is valid.

20

6. The electronic apparatus as claimed in claim 5, wherein the authenticating means carries out the authentication process using authentication information that is added to the operation execution request.

25

-119-

7. The electronic apparatus as claimed in claim 6,  
wherein:

the authentication information is identification  
information unique to the application; and

5 the authenticating means confirms that the operation  
execution request is valid if the identification information  
matches identification information that is registered in  
advance .

10 8. The electronic apparatus as claimed in claim 6,  
wherein :

the authentication information is type information  
indicating a type of the application-; and

15 the authenticating means confirms that the operation  
execution request is valid if the type information matches  
type information that is registered in advance.

9. The electronic apparatus as claimed in claim 6,  
wherein:

20 the authentication information includes identification  
information unique to the application and type information  
indicating a type of the application; and

the authenticating means confirms that the operation  
execution request is valid if the identification information  
25 matches identification information that is registered in

-120-

advance and the type information matches type information that is registered in advance.

10. The electronic apparatus as claimed in claim 4,  
5 further comprising:

identification information setting means for setting identification information unique to the application with respect to which an access to the electronic apparatus is permitted or rejected; and

10 operation execution permitting or rejecting means for permitting or rejecting the execution of the operation requested by the operation execution request, if identification information unique to the application and added to the operation execution request matches the identification  
15 information set by the identification information setting means .

11. The electronic apparatus as claimed in claim 4, further comprising:

20 line type judging means for judging a type of communication line via which the operation execution request is received by the communicating means; and

operation execution permitting or rejecting means for permitting or rejecting the execution of the operation  
25 requested by the operation execution request depending on a

-121-

judgement result of the line type judging means.

12. The electronic apparatus as claimed in claim 4, further comprising:

5        execution request judging means for judging whether the operation execution request is a normal request or an abnormal request;

         abnormality counting means for counting a number of times the abnormal request is judged by the execution request  
10    judging means; and

         operation execution rejecting means for rejecting the execution of the operation requested by the operation execution request if a counted value counted by the abnormality counting means exceeds a predetermined value.

15

13. The electronic apparatus as claimed in claim 1, further comprising:

         device usability notification sending means for sending to the external apparatus a usability notification indicating  
20    a usability of the electronic apparatus when the communicating means receives a connection request from the external apparatus ,

         wherein the controlling means executes the operation when an operation execution request that requests execution of the  
25    operation using the application within the external apparatus

-122-

is received from the external apparatus by the communicating means in response to the usability notification sent to the external apparatus by the device usability notification sending means .

5

14 . The electronic apparatus as claimed in claim 13, further comprising:

application information registering means for registering information related to a usable application that is added to  
10 the connection request, when the connection request from the external application is received by the communicating means .

15 . The electronic apparatus as claimed in claim 13, further comprising:

15 authenticating means for carrying out an authentication process to confirm validity of the connection request when the communicating means receives the connection request from the external apparatus; and

transmission permitting means for permitting sending of  
20 the usability notification if the authenticating means confirms that the connection request is valid.

16 . The electronic apparatus as claimed in claim 15, wherein the authenticating means carries out the  
25 authentication process using authentication information that

-123-

is added to the connection request.

11.' The electronic apparatus as claimed in claim  
16, wherein:

5       the authentication information is identification  
information unique to the application; and

      the authenticating means confirms that the connection  
request is valid if the identification information matches  
identification information that is registered in advance.

10

      18. The electronic apparatus as claimed in claim  
13, wherein the communicating means carries out a  
communication sequence for confirming validity of a connection  
request according to a protocol that is predetermined between  
15 the electronic apparatus and the external apparatus when the  
connection request is received from the external apparatus,  
and further comprising:

      authenticating means for carrying out an authentication  
process to confirm validity of the connection request from the  
20 communication sequence carried out by the communicating means;  
and

      transmission permitting means for permitting the device  
usability notification sending means to send the device  
usability notification if the authenticating means confirms  
25 that the connection request is valid.

-124-

19. The electronic apparatus as claimed in claim  
18, wherein the authenticating means confirms that the  
connection request is valid if the communication sequence is  
5 in accordance with the protocol.

20. The electronic apparatus as claimed in claim  
13, further comprising:

first authenticating means for carrying out a first  
10 authentication process to confirm validity of a connection  
request when the communicating means receives the connection  
request from the external apparatus;

transmission permitting means for permitting the device  
usability notification sending means to send the device  
15 usability notification if the first authenticating means  
confirms that the connection request is valid;

second authenticating means for carrying out a second  
authentication process to confirm validity of the operation  
execution request when the communicating means receives the  
20 operation execution request from the external apparatus in  
response to the device usability notification sent by the  
device usability notification sending means; and

operation execution permitting means for permitting  
execution of the operation if the second authenticating means  
25 confirms that the operation execution request is valid.



-125-

21. . The electronic apparatus as claimed in claim 13, wherein the communicating means carries out a communication sequence for confirming validity of a connection request according to a protocol that is predetermined between the electronic apparatus and the external apparatus when the connection request is received from the external apparatus, and further comprising:

first authenticating means for carrying out a first authentication process to confirm validity of the connection request from the communication sequence carried out by the communicating means; and

transmission permitting means for permitting the device usability notification sending means to send the device usability notification if the first authenticating means confirms that the connection request is valid;

second authenticating means for carrying out a second authentication process to confirm validity of the operation execution request when the communicating means receives the operation execution request from the external apparatus in response to the device usability notification sent by the device usability notification sending means; and

operation execution permitting means for permitting execution of the operation if the second authenticating means confirms that the operation execution request is valid.

-126-

22. An electronic apparatus system in which the electronic apparatus of claim 2 and the external apparatus are communicatably coupled via a communication line, said external  
5 apparatus comprising:

application storing means;

an other communicating means for communicating with the electronic apparatus via the communication line; and

10 application usability notification sending means for adding information that is related to the usable application and is stored in the application storing means to the application usability notification before sending the application usability notification to the electronic apparatus by the other communicating means, when the other communicating  
15 means receives the start notification from the electronic apparatus .

23. An electronic apparatus system in which the electronic apparatus of claim 4 and the external apparatus are  
20 communicatably coupled via a communication line, said external apparatus comprising:

application storing means;

an other communicating means for communicating with the electronic apparatus via the communication line; and

25 operation execution request sending means for sending the

-127-

operation execution request that requests execution of the operation using a usable application stored in the application storing means to the electronic apparatus by the other communicating means .

5

24. An electronic apparatus system in which the electronic apparatus of claim 13 and the external apparatus are communicatably coupled via a communication line, said external apparatus comprising:

10 application storing means;

an other communicating means for communicating with the electronic apparatus via the communication line;

connection request sending means for sending a connection request to the electronic apparatus by the other communicating means; and

15 operation execution request sending means for sending the operation execution request that requests execution of the operation using a usable application stored in the application storing means to the electronic apparatus by the other communicating means when the usability notification is received from the electronic apparatus in response to the connection request sent by the connection request sending means .

25 25. The electronic apparatus system as claimed in

-128-

claim 24, wherein the connection request sending means sends the connection request to the electronic apparatus by the other communicating means when starting the application.

5                   26. The electronic apparatus system as claimed in claim 24, wherein said external apparatus further comprises operation means, and the connection request sending means sends the connection request to the electronic apparatus by the other communicating means in response to an operation by  
10 the operation means.

                  27. An electronic apparatus system in which the electronic apparatus of claim 14 and the external apparatus are communicatably coupled via a communication line, said  
15 external apparatus comprising:

                  application storing means;

                  an other communicating means for communicating with the electronic apparatus via the communication line;

                  connection request sending means for sending the  
20 connection request to the electronic apparatus by the other communicating means; and

                  operation execution request sending means for sending the operation execution request that requests execution of the operation using a usable application stored in the application  
25 storing means to the electronic apparatus by the other

-129-

communicating means when the usability notification is received from the electronic apparatus in response to the connection request sent by the connection request sending means .

5

28. An electronic apparatus system in which the electronic apparatus of claim 13 and the external apparatus are communicatably coupled via a communication line, said external apparatus comprising:

10

operation means;

application storing means;

an other communicating means for communicating with the electronic apparatus via the communication line;

15

connection request sending means for sending a connection request to the electronic apparatus by the other communicating means ;

20

function inquiring means for inquiring an existence of a function specified by the operation means to the electronic apparatus by the other communicating means, when the usability notification is received from usable electronic apparatuses in response to the connection request sent by the connection request sending means;

25

device selecting means for selecting an electronic apparatus capable of realizing the specified function from the usable electronic apparatuses, when an inquiry result is

-130-

received in response to the inquiring made by the function  
inquiring means; and

operation execution request sending means for sending the  
operation execution request that requests execution of the  
5 operation using a usable application stored in the application  
storing means, by the other communicating means, to the  
electronic apparatus selected by the device selecting means.

29. A control method for an electronic apparatus  
10 which executes an operation using an application, comprising:  
communicating with an external apparatus via a  
communication line; and  
executing an operation using an application within the  
external apparatus.

15

30. The control method for the electronic  
apparatus as claimed in claim 29, further comprising:  
sending a start notification of the electronic apparatus  
to the external apparatus; and

20 registering information related to a usable application  
that is added to an application usability notification, when  
the application usability notification from the external  
application is received in response to the start notification.

25

31. The control method for the electronic

-131-

apparatus as claimed in claim 30, wherein the start notification is sent to the external apparatus when a power of the electronic apparatus is turned ON.

5                   32. The control method for the electronic apparatus as claimed in claim 29, further comprising:

                  executing the operation when an operation execution request that requests execution of the operation using the application within the external apparatus is received from the  
10 external apparatus.

                  33. The control method for the electronic apparatus as claimed in claim 32, further comprising:

                  carrying out an authentication process to confirm  
15 validity of the operation execution request when the operation execution request is received from the external apparatus; and  
                  permitting execution of the operation if the authentication process confirms that the operation execution request is valid.

20

                  34. The control method for the electronic apparatus as claimed in claim 32, further comprising:

                  setting identification information unique to the application with respect to which an access to the electronic  
25 apparatus is permitted or rejected; and

-132-

permitting or rejecting the execution of the operation requested by the operation execution request, if identification information unique to the application and added to the operation execution request matches the set

5 identification information.

35. The control method for the electronic apparatus as claimed in claim 32, further comprising:

judging a type of communication line via which the

10 operation execution request is received; and

permitting or rejecting the execution of the operation requested by the operation execution request depending on a judgement result of judging the type of communication line.

15 36. The control method for the electronic apparatus as claimed in claim 32, further comprising:

judging whether the operation execution request is a normal request or an abnormal request;

counting a number of times the abnormal request is

20 judged; and

rejecting the execution of the operation requested by the operation execution request if a counted value of the abnormal request exceeds a predetermined value.

25 37. The control method for the electronic



-133-

apparatus as claimed in claim 29, further comprising:

    sending to the external apparatus a usability-  
notification indicating a usability of the electronic  
apparatus when a connection request is received from the  
5 external apparatus,

    wherein the operation is executed when an operation  
execution request that requests execution of the operation  
using the application within the external apparatus is  
received from the external apparatus in response to the  
10 usability notification sent to the external apparatus.

38. The control method for the electronic  
apparatus as claimed in claim 37, further comprising:

    registering information related to a usable application  
15 that is added to the connection request when the connection  
request is received from the external application.

39. The control method for the electronic  
apparatus as claimed in claim 37, further comprising:

20 carrying out an authentication process to confirm  
validity of the connection request when the connection request  
is received from the external apparatus; and  
    permitting sending of the usability notification if the  
authenticating process confirms that the connection request is  
25 valid.

-134-

40. The control method for the electronic apparatus as claimed in claim 37, further comprising:

carrying out a communication sequence for confirming  
5 validity of a connection request according to a protocol that is predetermined between the electronic apparatus and the external apparatus when the connection request is received from the external apparatus;

carrying out an authentication process to confirm  
10 validity of the connection request from the communication sequence; and

permitting sending of the device usability notification if the authenticating process confirms that the connection request is valid.

15

41. The control method for the electronic apparatus as claimed in claim 37, further comprising:

carrying out a first authentication process to confirm  
validity of a connection request when the connection request  
20 is received from the external apparatus;

permitting sending of the device usability notification if the first authenticating process confirms that the connection request is valid;

carrying out a second authentication process to confirm  
25 validity of the operation execution request when the operation

-135-

execution request is received from the external apparatus in response to the device usability notification; and

permitting execution of the operation if the second authenticating process confirms that the operation execution

5 request is valid.

42. The control method for the electronic apparatus as claimed in claim 37, further comprising:

carrying out a communication sequence for confirming  
10 validity of a connection request according to a protocol that is predetermined between the electronic apparatus and the external apparatus when the connection request is received from the external apparatus;

carrying out a first authentication process to confirm  
15 validity of the connection request from the communication sequence; and

permitting sending of the device usability notification if the first authenticating process confirms that the connection request is valid;

20 carrying out a second authentication process to confirm validity of the operation execution request when the operation execution request is received from the external apparatus in response to the device usability notification; and

25 permitting execution of the operation if the second authenticating process confirms that the operation execution

-136-

request is valid.

43. A computer-readable storage medium which stores a program for causing a computer of an electronic apparatus to execute an operation using an application, said program comprising procedures for causing the computer to realize:

a communicating function for communicating with an external apparatus via a communication line; and  
10 a controlling function for executing an operation using an application within the external apparatus by communicating with the external apparatus by the communicating function.

44. The computer-readable storage medium as claimed in claim 43, wherein the program further comprises procedures for causing the computer to realize:

a device start notification sending function for sending a start notification of the electronic apparatus to the external apparatus by the communicating function; and  
20 an application information registering function for registering information related to a usable application that is added to an application usability notification, when the application usability notification from the external application is received by the communicating function in  
25 response to the start notification sent by the device start

-137-

notification sending function.

45. The computer-readable storage medium as  
claimed in claim 44, wherein the device start notification  
5 sending function sends the start notification to the external  
apparatus when a power of the electronic apparatus is turned  
ON.

46. The computer-readable storage medium as  
10 claimed in claim 43, wherein the controlling function executes  
the operation when an operation execution request that  
requests execution of the operation using the application  
within the external apparatus is received from the external  
apparatus by the communicating function.

15

47. The computer-readable storage medium as  
claimed in claim 46, wherein the program further comprises  
procedures for causing the computer to realize:

an authenticating function for carrying out an  
20 authentication process to confirm validity of the operation  
execution request when the communicating function receives the  
operation execution request from the external apparatus; and  
an operation execution permitting function for permitting  
execution of the operation if the authenticating function  
25 confirms that the operation execution request is valid.

-138-

48. The computer-readable storage medium as  
claimed in claim 47, wherein the authenticating function  
carries out the authentication process using authentication  
5 information that is added to the operation execution request.

49. The computer-readable storage medium as  
claimed in claim 48, wherein:

the authentication information is identification  
10 information unique to the application; and

the authenticating function confirms that the operation  
execution request is valid if the identification information  
matches identification information that is registered in  
advance .

15

50. The computer-readable storage medium as  
claimed in claim 48, wherein:

the authentication information is type information  
indicating a type of the application; and

20 the authenticating function confirms that the operation  
execution request is valid if the type information matches  
type information that is registered in advance.

51. The computer-readable storage medium as  
25 claimed in claim 48, wherein:

-139-

the authentication information includes identification information unique to the application and type information indicating a type of the application; and

the authenticating function confirms that the operation  
5 execution request is valid if the identification information matches identification information that is registered in advance and the type information matches type information that is registered in advance.

10 52. The computer-readable storage medium as claimed in claim 46, wherein the program further comprises procedures for causing the computer to realize:

an identification information setting function for setting identification information unique to the application  
15 with respect to which an access to the electronic apparatus is permitted or rejected; and

an operation execution permitting or rejecting function for permitting or rejecting the execution of the operation requested by the operation execution request, if  
20 identification information unique to the application and added to the operation execution request matches the identification information set by the identification information setting function.

25 53. The computer-readable storage medium as

-140-

claimed in claim 46, wherein the program further comprises procedures for causing the computer to realize:

5 a line type judging function for judging a type of communication line via which the operation execution request is received by the communicating function; and

an operation execution permitting or rejecting function for permitting or rejecting the execution of the operation requested by the operation execution request depending on a judgement result of the line type judging function.

10

54. The computer-readable storage medium as claimed in claim 46, wherein the program further comprises procedures for causing the computer to realize:

15 an execution request judging function for judging whether the operation execution request is a normal request or an abnormal request;

an abnormality counting function for counting a number of times the abnormal request is judged by the execution request judging function; and

20 an operation execution rejecting function for rejecting the execution of the operation requested by the operation execution request if a counted value counted by the abnormality counting function exceeds a predetermined value.

25

55. The computer-readable storage medium as



-141-

claimed in claim 43, wherein the program further comprises procedures for causing the computer to realize:

a device usability notification sending function for sending to the external apparatus a usability notification  
5 indicating a usability of the electronic apparatus when the communicating function receives a connection request from the external apparatus,

wherein the controlling function executes the operation when an operation execution request that requests execution of  
10 the operation using the application within the external apparatus is received from the external apparatus by the communicating function in response to the usability notification sent to the external apparatus by the device usability notification sending function.

15

56. The computer-readable storage medium as claimed in claim 55, wherein the program further comprises procedures for causing the computer to realize:

an application information registering function for  
20 registering information related to a usable application that is added to the connection request, when the connection request from the external application is received by the communicating function.

25

57. The computer-readable storage medium as

-142-

claimed in claim 55, wherein the program further comprises procedures for causing the computer to realize:

an authenticating function for carrying out an authentication process to confirm validity of the connection request when the communicating function receives the connection request from the external apparatus; and

a transmission permitting function for permitting sending of the usability notification if the authenticating function confirms that the connection request is valid.

10

58. The computer-readable storage medium as claimed in claim 57, wherein the authenticating function carries out the authentication process using authentication information that is added to the connection request.

15

59. The computer-readable storage medium as claimed in claim 58, wherein:

the authentication information is identification information unique to the application; and

20 the authenticating function confirms that the connection request is valid if the identification information matches identification information that is registered in advance.

60. The computer-readable storage medium as claimed in claim 55, wherein the communicating function

25

-143-

carries out a communication sequence for confirming validity of a connection request according to a protocol that is predetermined between the electronic apparatus and the external apparatus when the connection request is received

5 from the external apparatus, and the program further comprises procedures for causing the computer to realize:

an authenticating function for carrying out an authentication process to confirm validity of the connection request from the communication sequence carried out by the communicating function; and

10

a transmission permitting function for permitting the device usability notification sending function to send the device usability notification if the authenticating function confirms that the connection request is valid.

15

61. The computer-readable storage medium as claimed in claim 60, wherein the authenticating function confirms that the connection request is valid if the communication sequence is in accordance with the protocol.

20

62. The computer-readable storage medium as claimed in claim 55, wherein the program further comprises procedures for causing the computer to realize:

a first authenticating function for carrying out a first authentication process to confirm validity of a connection

25

-144-

request when the communicating function receives the  
connection request from the external apparatus;

a transmission permitting function for permitting the  
device usability notification sending function to send the  
5 device usability notification if the first authenticating  
function confirms that the connection request is valid;

a second authenticating function for carrying out a  
second authentication process to confirm validity of the  
operation execution request when the communicating function  
10 receives the operation execution request from the external  
apparatus in response to the device usability notification  
sent by the device usability notification sending function;  
and

an operation execution permitting function for permitting  
15 execution of the operation if the second authenticating  
function confirms that the operation execution request is  
valid.

63. The computer-readable storage medium as  
20 claimed in claim 55, wherein the communicating function  
carries out a communication sequence for confirming validity  
of a connection request according to a protocol that is  
predetermined between the electronic apparatus and the  
external apparatus when the connection request is received  
25 from the external apparatus, and the program further comprises

-145-

procedures for causing the computer to realize:

a first authenticating function for carrying out a first authentication process to confirm validity of the connection request from the communication sequence carried out by the

5 communicating function; and

a transmission permitting function for permitting the device usability notification sending function to send the device usability notification if the first authenticating function confirms that the connection request is valid;

10 a second authenticating function for carrying out a second authentication process to confirm validity of the operation execution request when the communicating function receives the operation execution request from the external apparatus in response to the device usability notification

15 sent by the device usability notification sending function; and

an operation execution permitting function for permitting execution of the operation if the second authenticating function confirms that the operation execution request is  
20 valid.